

# **Tragedy Leads to Safer Care:**

## **Lessons Learned from a Patient Stairwell Death**

### **Zuckerberg San Francisco General Hospital and Trauma Center**

**Troy Williams, RN, MSN**  
**Chief Quality Officer**







### BODY IN STAIRWELL

POLICE WORKING TO ESTABLISH TIMELINE

- September 21 Patient Disappears
- September 23 Hospital Meeting
- October 4 Man Reports Person in Stairwell




KRON 4  
6:05

MORE DETAILS AT KRON4.COM

NAT'L NEWS CHARGES FOR ALLEGED PROWLING INCIDENT STANFORD CSCO 0.15

NORTH BAY POINT REYES 63/49 ROHNERT PARK 74



DEPT. CEILING DEADLINE 104:38:28

NEW DAY

FAMILY WANTS ANSWERS  
HOW DID PATIENT END UP DEAD IN STAIRWELL

LIVE CNN

RIGHT NOW

DECIDED ABOUT THE AFTERNOON - SCHOOL SYSTEM TWEETS 731 AM ET

TODD MAY  
CHIEF MEDICAL OFFICER

NBC  
#WEINVESTIGATE

DEPT. CEILING DEADLINE 172:35:00

GOVERNMENT SHUTTING DOWN DAY 9

BLUMHETT

DEAD BODY IN STAIRWELL MAY BE MISSING WOMAN  
Lynne Spaulding disappeared from the hospital 17 days ago

LIVE CNN

URGENT: MOM MISSING 17 DAYS

MOM IN HOSPITAL W/URINARY INFECTION VANISHES; FOUND DEAD IN STAIRWELL  
MOM CHECKS INTO HOSPITAL FOR BLADDER INFECTION; FOUND DEAD IN STAIRS

411 NANCY GRACE

## Briefly What Happened

54 year old woman admitted to hospital for progressive physical and cognitive decline. On the 3<sup>rd</sup> day of hospitalization she went AWOL. Her nurses called our security service (we contract with the San Francisco Sheriff's Department) requesting assistance locating and returning her to the floor. Listening to the taped phone calls we learned her description was grossly incorrect and security had a limited response since she was not on a legal hold. She was not found that day.

Over the subsequent 5-7 days the family initiated a missing persons campaign in the neighborhood. Meeting with our security regularly we noted the need to be certain the whole campus was searched so we could work with family to focus search efforts in the community.

## Briefly What Happened

On day 13 following Ms. Spalding's AWOL a person reported to a senior nurse they saw a person sleeping in a stairwell. The senior nurse concerned about an unsafe situation in the stairwell called security. On the taped phone calls we learned security confirmed they would secure the stairwell.

On day 17 following her AWOL, on a standard quarterly patrol of the service stairwell a building engineer found Ms. Spalding's remains.

The San Francisco Medical Examiner reported she had no traumatic injuries. Presumed death from metabolic or infectious cause.

## What Did We Learn?

1. Assessment and Care of “At Risk” Patients
2. A well-coordinated significant event plan is critical
3. Clear leadership oversight of security
4. Importance of Transparency



# Assessment and Care of “At Risk” patients

- Definition
- Monitoring/Interventions
- Code Green




## Assessment and Care of “At Risk” patients

### *Definition:*

A patient who (1) exhibits behavior indicating a compromised mental status that may put him/her in danger and requires further assessment, *or* (2) is on a legal psychiatric hold, *or* (3) has a surrogate decision-maker.

# Assessment and Care of “At Risk” patients

CLINICAL DECISION ALGORITHM FOR PATIENTS WITH IMPAIRED OR AT-RISK DECISION MAKING CAPACITY  
 \*\*\*BOX QUESTIONS, CALL LEGAL/RISK MANAGEMENT (OFFICE 206-6600, 24 HOUR PAGE 327-9343)\*\*\*



<sup>1</sup> If capacity determination is unclear, discuss with psychiatry consult service (page 327-9038, 24 hours/day). See teaching handout for detailed discussion.  
<sup>2</sup> For assistance with detailed cognitive testing, consider neurocognitive referral (and its signature for at-risk capacity determination.) 206-5666.  
<sup>3</sup> For assistance with complex cases consider SFGH Risk Management Committee review (email request to [legal@sfgh.org](mailto:legal@sfgh.org) or see [www.sfgbriskmanagement.org](http://www.sfgbriskmanagement.org) for details).  
<sup>4</sup> Probate paperwork and surrogate decision-maker hold consent forms are available from Legal/Risk Management Department 327-9343 or via CRN internet.  
<sup>5</sup> "Emergency" defined here as: without treatment the patient is at risk for serious harm or death.

\*\*\*When signed by attending provider, fax all consents/probate forms to Legal/Risk Management Dept SFGH Risk Management at 206-4150 and place a copy in the front of the chart. If probate paperwork needs overnight signature, please call FIS Attending at 463-3082 after completing paperwork by phone with service attending. Primary service attending must take responsibility for probate ASAP upon return to the hospital.\*\*\*

## CAPACITY TO MAKE MEDICAL DECISIONS Lee Rawitscher, MD – Psychiatry C/L Service, SFGH

This guideline can be used to evaluate a patient's capacity to consent to the work-up or treatment of a specific medical problem.

- Does the patient understand the nature of the medical illness?**
  - Typically, a basic understanding of the illness is adequate, but when subtleties are of critical importance, a deeper understanding may be necessary.
  - Examples of a patient having problems in this area:
    - Patient is too confused or demented to understand the illness
    - Patient understands your explanation, but forgets by the next day
    - Patient is paranoid and believes you are lying
    - Patient has delusions about the medical illness
- Can the patient communicate a consistent choice?**
  - Examples of a patient having problems in this area:
    - Patient is comatose
    - Patient refuses to speak about the issue
    - Patient is too ambivalent to decide
    - Patient expresses one choice verbally but behavior indicates another choice. (e.g. an NPO patient tells you he will not eat, but he continues to eat.)
- Does the patient understand the risks/benefits of the recommended treatment and the risks/benefits of alternative treatments (including doing nothing)?**
  - Examples of a patient having problems in this area:
    - Patient is too confused or demented to understand the risks/benefits
    - Patient understands your explanation, but forgets by the next day
    - Patient can state risks but clearly minimizes them
- In making a decision, can the patient manipulate the information rationally?**
  - This applies to all patients, whether refusing or accepting the recommended treatment.
  - Cultural, religious and philosophical issues should be taken into consideration. (e.g. religious beliefs about blood transfusion)
  - Examples of a patient having problems in this area:
    - Patient is too confused or demented to weigh risks/benefits
    - Patient's reasoning is affected by delusions or other forms of psychosis
    - Patient's reasoning is affected by severe depression
    - Patient's reasoning is affected by extreme emotions (e.g. anger, fear)

### Additional Considerations When Evaluating Capacity

- A patient must fulfill all 4 of the above criteria to retain capacity.
- Capacity is evaluated for a specific medical problem. An individual might lack capacity regarding one issue but retain capacity for another issue. (e.g. a patient might understand the need for antibiotics to treat a pneumonia, but the same patient might not understand the risks/benefits of cardiac catheterization.)
- Capacity can change over time (e.g. a patient's delirium resolves)
- If the benefits are very high and the risks are very low (e.g. antibiotics for sepsis), then a patient refusing treatment needs to demonstrate an excellent grasp of all 4 steps listed above.
- A psychiatric evaluation is not required to determine a patient's capacity, but a psychiatric consultation can be helpful in ambiguous situations.

# Assessment and Care of “At Risk” patients

**Environment of Care Policy: 13.09**

**TITLE: CODE GREEN - MISSING “AT RISK” PATIENT ALERT  
RESPONSE & SEARCH PROCEDURES**

**Administrative Policy Number: 18.02**

**TITLE: CLOSE OBSERVATION OF THE HOSPITALIZED PATIENT**

**Administrative Policy Number: 1.10**

**TITLE: AMA, AWOL & AWOL “AT-RISK”: ADULT PATIENTS  
LEAVING SFGH PRIOR TO COMPLETION OF THEIR  
EVALUATION OR TREATMENT**

**Administrative Policy Number: 1.09**

**TITLE: PATIENT TRACKING SYSTEM**

CLOSE OBSERVATION FLOW RECORD (after 24hrs a new order is required)				NAME:			
<input type="checkbox"/> INTERMITTENT ROUNDING		<input type="checkbox"/> COACH		DOB:			
<input type="checkbox"/> 0700-1900		<input type="checkbox"/> 1900-0700		MRN:			
Date & Time of Initiation: / /		Patient ID / Addressograph					
4Ps = pain under control, potty, positioning in bed/chair, personal items within reach							
Hour	4Ps	Time	Scuff Insoles	Hour	4Ps	Time	Scuff Insoles
Hour 1	ACTIVITY (CODES A-F): NOTE (Optional):	/	/	Hour 7	ACTIVITY (CODES A-F): NOTE (Optional):	/	/
Hour 2	ACTIVITY (CODES A-F): NOTE (Optional):	/	/	Hour 8	ACTIVITY (CODES A-F): NOTE (Optional):	/	/
Hour 3	ACTIVITY (CODES A-F): NOTE (Optional):	/	/	Hour 9	ACTIVITY (CODES A-F): NOTE (Optional):	/	/
Hour 4	ACTIVITY (CODES A-F): NOTE (Optional):	/	/	Hour 10	ACTIVITY (CODES A-F): NOTE (Optional):	/	/
Hour 5	ACTIVITY (CODES A-F): NOTE (Optional):	/	/	Hour 11	ACTIVITY (CODES A-F): NOTE (Optional):	/	/
Hour 6	ACTIVITY (CODES A-F): NOTE (Optional):	/	/	Hour 12	ACTIVITY (CODES A-F): NOTE (Optional):	/	/

**INDICATION(S):**  1 = Suicide Precautions;  2 = AWOL "at-risk" patient / On hold (S150/S250/Surrogate);  3 = Active ETOH withdrawal;  4 = Pulling on necessary tubing;  5 = Poor safety awareness / High falls risk;  6 = Assaultive  7 = Other: \_\_\_\_\_


**ACTIVITY:**  A = Ambulate/Mobilize;  B = ROM/Exercises;  C = Prompt/assist with ADLs;  D = Reorientation/Redirection;  E = Diversional Activities (e.g. cards, music, TV, reading, etc.);  F = Escort social dining room.

**RN or DESIGNEE (Initials / Signature):**  
 \_\_\_\_\_

# Monitoring/Interventions

**Administrative Policy Number: 18.02**  
**TITLE: CLOSE OBSERVATION OF THE HOSPITALIZED PATIENT**

# Monitoring/Interventions



**Administrative Policy Number: 1.09**  
**TITLE: PATIENT TRACKING SYSTEM**





### REPORTING A MISSING "AT RISK" PATIENT

- February 2014 -

After a brief initial search of the affected unit to confirm the patient is actually missing, the patient's primary nurse will notify:

- patient's primary care team;
- Charge Nurse/Nurse Manager of the Unit, who will notify the Administrator on Duty (AOD);
- and
- SFSF at extension 6-4911 and use the following communication script (SBAR)

*Take a deep breath and speak slowly and clearly*

Name of Reporting Party:  Title:  Callback Number (Extension):

Date:  Time (24 hr format):  SFSF Staff Taking Call:

Missing Patient's Last Known Location:  How long has the patient been missing from Location?

Missing Patient's last known direction of travel?

Missing Patient confirmed to be "At-Risk"?  Yes  No Is the patient ambulatory?  Yes  No How many patients are missing?

Missing Patient's First Name:  Last Name:

AGE	RACE	SEX	HEIGHT	WEIGHT	HAIR	EYES
GOWN COLOR	JACKET	SHIRT	PANTS	SHOES	OTHER CLOTHING:	
ISOLATION PRECAUTIONS						
<input type="checkbox"/> NO	<input type="checkbox"/> YES, specify:	<input type="checkbox"/> RESPIRATORY	<input type="checkbox"/> CONTACT			

Check all that apply:

- Suicidal?  Homicidal?  Weapons?

Other IMMEDIATE information we need to know about this patient? Describe:

ADDITIONAL INFORMATION, IF AVAILABLE:  
(May require follow-up call to with Reporting Party)

Patient's Address:  Apt #:  Telephone #:

Street:

City:  SFGH Disaster Info Hotline: 206-4000 Bed Control: 206-8061

# "CODE GREEN"



SAN FRANCISCO GENERAL HOSPITAL AND TRAUMA CENTER

NAME  
DOB  
MRN  
PCP

### AWOL "AT RISK" CHECKLIST / REPORTING A MISSING "AT-RISK" PATIENT FORM

Patient ID / Addressograph

Use the AWOL At Risk checklist if the missing patient exhibits behavior indicating a compromised mental status, is on any type of legal hold or has a surrogate decision maker. The patient has been deemed "At Risk" and is missing and can't be found after a brief search of the immediate area including outside the patient care area.

*Note: This checklist is intended to be completed to assist the clinical staff with completing all steps assuring proper care is provided and documented.*

Date: \_\_\_\_\_ Time: \_\_\_\_\_ Unit: \_\_\_\_\_

#### Nursing Staff

Primary Nurse will notify the Charge Nurse or Nurse Manager, together they will notify the Administrator on Duty (AOD), The San Francisco Sheriff's Department at 6-4911, and the primary team.

- Complete the description on the back of this check list to provide a description of the missing at risk patient to the SFSF.

Charge Nurse will assign staff to conduct a search of common areas (main and outpatient lobbies, cafeteria, 2<sup>nd</sup> floor vending machines, and Emergency Department lobby).

Document in the end of shift nursing notes the time the patient was last seen, the measures taken to find the patient (code green activated), were they found and returned along with any other important information;

- Complete an Unusual Occurrence Report
- Provide this check list to the primary team provider to complete the next section.
- Once the complete checklist is returned submit completed checklist to the AOD

#### Primary Team/MD/LIP

- Immediately respond to patient unit when called about an AWOL "AT RISK" patient. Participate in Code Green activities as needed
- Document an "AWOL Note" in the LCR, include the circumstances and the measures taken to find the patient (i.e. code green activated), were they found and returned along with any other important information. If they are not returned describe the measures that continue or the resolution of the code green, i.e., located with responsible party, arrested located in jail, etc.

- Place a clinical alert in the LCR
- Return completed check list to the primary nurse to submit to the AOD

Reporting a Missing "At Risk Patient Form (see other side)

NOT PART OF THE MEDICAL RECORD

## Environment of Care Policy: 13.09

# TITLE: CODE GREEN - MISSING "AT RISK" PATIENT ALERT RESPONSE & SEARCH PROCEDURES

A well-coordinated significant event plan is critical





A well-coordinated significant event plan is critical

## Communication Tools and Strategies-


### 1. Internal

- a. Staff
- b. Foundation
- c. Governing Body

### 2. External

- a. Media
- b. Regulatory Agencies
- c. Family Attorney
- d. Law Enforcement

# Significant Event Notification



# Clear Leadership Oversight of Security (Sheriff's Dept.)

- Coordinated search plan
- Assistance with “At Risk” patients
- Performance metrics



# Importance of Transparency

- Open dialogue with family spokesperson and their lawyer
- Regulatory agencies
- The media
- Our staff



# Supporting Staff Emotional Impact



# Discussion and Questions